## DEPARTMENT OF HEALTH DUCATION, AND WELFARE PUBLIC HEALTH SERVICE FOOD AND DRUG ADMINISTRATION

APPLICATION FOR A VARIANCE FROM 21 CFR 1040.11(c) FOR A LASER LIGHT SHOW, DISPLAY OR DEVICE Form approved: OMB
No. 0910-0025
Expiration Date:
October 31, 2000
DOCKET NUMBER

				DOCKET NUMBER	
NOTE: No laser light show or display device may	vary from compliance with 2	21 CFR 1040.11(c) in design of	or use without the		
approval of this application in accordance	with 21 CFR 1010.4. INSTRUC				
<ol> <li>Check all applicable boxes and type or prinformation.</li> <li>Submit an original and four (4) copies.</li> </ol>	<ol> <li>Mail your application to the FDA Dockets         Management Branch, Room 1065, 5630 Fishers Lane,         Rockville, MD 20852.     </li> <li>Enter Docket Number if assigned.</li> </ol>				
1. NAME OF COMPANY -					
NECA/IBEW LOCAL UNION #159 LMCC	TRUST				
2. ADDRESS OF COMPANY (Include ZIP Code)					
1602 S. PARK ST., MADISON, WI 53715	4. TELEPHONE NO. (Inci	(uda araa aada)	5. DATE OF SUB	MISSION	
3. NAME OF RESPONSIBLE PERSON	4. TELEPHONE NO. (Inc.) 608-221-4652	ude area code)	October 30, 20		
LOYAL O'LEARY  6. The applicant requests the variance to be in effect for a	period of 2 years from	the date of issue and requests	to manufacture 1	units under	
this variance. (In general the Agency will approve a	variance for only two years	. If a longer period is reques	sted a justification i	must be attached as part	
of the application.) 7. PRODUCT DESCRIPTION AND USE					
a. LIST NAME AND MODEL NUMBER(S) INFINITY REAM 11000					
a. LIST NAME AND MODEL NUMBER(S) INFINITY BEAM I1000  b. PRODUCT FOR WHICH A VARIANCE IS REQUESTED ( ) A LASER DISPLAY DEVICE ( ) A PROJECTOR FOR A LASER LIGHT SHOW ( X ) A LASER LIGHT SHOW ( ) OTHER (Specify)  c. PRODUCT IS INTENDED FOR USE IN A ( ) PLANETARIUM OR OTHER DOME PROJECTION STRUCTURE ( ) THEATER ( ) DISCOTHEQUE OR NIGHT CLUB ( ) PAVILION ( ) INDOOR ARENA ( ) OUTDOOR ARENA ( ) OUTDOOR ENCLOSE AREA ( X ) OTHER (Specify) ANNUAL CHIRSTMAS DISPLAY  d. PRODUCT IS INTENDED TO BE USED ( X ) AT ONLY ONE (fixed) LOCATION ( ) AT A VARIETY OF (tour) LOCATIONS ( ) OTHER (Specify)		e. PRODUCT IS INTENDED TO BE USED AT ANY ONE LOCATION  (X) MORE THAN 15 DAYS  () MORE THAN 5 BUT NOT MORE THAN 15 DAYS  () LESS THAN 5 DAYS  f. TOUR IS INTENDED TO RUN FOR  () MORE THAN 6 MONTHS  () 1-6 MONTHS  () 1-6 MONTHS  () LESS THAN 1 MONTH  (X) NOT APPLICABLE (not a tour)  () OTHER (Specify)  g. PRODUCT UTILIZES THE FOLLOWING LASER EFFECTS  (X) FRONT SCREEN PROJECTIONS  (X) REAR SCREEN PROJECTIONS  (X) REAR SCREEN PROJECTIONS  (X) MULTIPLE REFLECTIONS (multiple channel or diffraction effects)  () AUDIENCE SCANNING  (X) REFLECTIONS FROM STATIONARY MIRROR(S) OR  MIRRORED SURFACES  () STATIONARY IRRADIATION OF ROTATING MIRROR BALL(S)  OR OTHER MIRRORED SHAPES  () SCANNING IRRADIATION OF ROTATING MIRROR BALL(S)  () FIBER OPTIC PROJECTIONS  (X) FOG, SMOKE OR OTHER SCATTERING EFFECTS  () OTHER (Specify)			
8.	LASER RAI	DIATION LEVELS			
LASER MEDIUM (Ar, He-Ne, etc.)	WAVELE	NGTHS (nm)	PI	EAK POWER (Watts)	
DPSS YVO4	532NM			5 WATTS	
9. If ANY LASER RADIATION'S PULSED OR SCANNED, GIVE THE PULSE DURATION AND RATE AND SCANNING FREQUENCY AND AMPLITUDE. Laser system scans CW at 0-30,000 pps, with an amplitude of ~90 degrees optical.					
10. REASON FOR REQUESTING VARIANCE  ( ) COMPLIANCE WITH THE LIMITS OR 21 OF THE SECAUSE COMPLIANCE WOULD LIMIT SUFFICIENTLY VISIBLE	CFR 1040.11(c) WOULD R THE OUTPUT POWER TO	ESTRICT THE INTENDED O THE EXTENT THAT THI	USE OF THE PRO E DESIRED EFFEC	ODUCT CTS WOULD NOT BE	

FORM FDA 3147 (10/79)

(X) OTHER OR ADDITIONAL EXPLANATION (Specify). This is a new permanent installation

- 11. MANNER IS WHICH IT IS PRESED TO DEVIATE FROM THE REQUIREMENTS OF THE APPLICABLE STANDARD
- (X) IT IS PROPOSED TO DEV. ATE FROM THE PROVISIONS OF 21 CFR 1040.11(c) IN THAT THE ACCESSIBLE EMISSION LEVEL WOULD EXCEED THE ACCESSIBLE EMISSION LIMITS OF CLASS I OR CLASS II
- ( ) IT IS PROPOSED TO DEVIATE FROM THE PROVISION OF 21 CFR 1040.11(c) AS FOLLOWS:
- 12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION
- (X) LASER LIGHT SHOWS AND DISPLAYS ARE ACCEPTED POPULAR MEDIA IN ENTERTAINMENT AND THE ARTS, USE OF POWER LEVELS IN EXCESS OF THE LIMITS IMPOSED BY 21 CFR 1040.11(c) IS NECESSARY TO ACHIEVE THE REQUIRED EFFECTS IN THESE MEDIA.
- ( ) OTHER OR ADDITIONAL ADVANTAGES (describe and explain)
- 13. EXPLAIN THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes, as apply. Explain any boxes not checked using additional sheets as necessary. If appropriate, state any other means of radiation protection that will be used)
- a. (X) ALL LASER PRODUCTS, SYSTEMS AND PROJECTORS WILL COMPLY WITH 21 CFR 1040.10 FOR LASER PRODUCTS OF THEIR CLASS (Specify class(es)) IV
- b. (X) LASER AND COLLATERAL RADIATION MEASURED WHERE THE AUDIENCE IS LOCATED, SHALL NOT EXCEED THE LIMITS OF CLASS I DURING OPERATION (includes reflections from targets and scattering materials).
- c. (X) OPERATORS, PERFORMERS AND EMPLOYEES WILL BE ABLE TO PERFORM THEIR FUNCTIONS WITHOUT THE NEED TO VIEW LASER AND COLLATERAL RADIATION IN EXCESS OF THE LIMITS OF CLASS I AND WITHOUT BEING EXPOSED TO LASER RADIATION IN EXCESS OF THE LIMITS OF CLASS II. HUMAN EXPOSURE TO CLASS III OR CLASS IV LEVELS OR RADIATION SHALL NOT BE PERMITTED.
- d. (X) SCANNING SERVICES, INCLUDING MIRROR BALLS, WILL INCORPORATE A SCANNING SAFEGUARD TO PREVENT LASER EMISSION IF SCAN FAILURE OR OTHER FAILURE CAUSING A CHANGE IN EITHER SCAN VELOCITY OR AMPLITUDE WOULD RESULT IN VIOLATION OF ITEMS 13b OR 13c.
- e. ( X ) WHEN LASER LIGHT SHOW OR DISPLAYS ARE NOT OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF AN OPERATOR, LASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OF CLASS II AT ANY POINT LESS THAN 6 METERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND, OR AT ANY POINT LESS THAN 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED DURING THE PERFORMANCE OR DISPLAY. A DESIGNATED PERSON(S) WELL BE RESPONSIBLE, AT ALL TIMES DURING THE SOW OR DISPLAY, FOR THE IMMEDIATE TERMINATION OF LASER RADIATION IN THE EVENT OF EQUIPMENT MALFUNCTION, AUDIENCE UNRULINESS, OR OTHER UNSAFE CONDITIONS. ONE OR MORE READILY ACCESSIBLE CONTROLS TO EFFECT IMMEDIATE TERMINATION OF LASER RADIATION WILL BE PROVIDED FOR THIS PURPOSE.
- f.(X) WHEN LASER LIGHT SHOWS OR DISPLAYS ARE OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF A TRAINED OPERATOR LASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OR CLASS II AT ANY POINT LESS THAN 3 METERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND OR 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED TO BE UNLESS PHYSICAL BARRIERS RESTRICT ACCESS BY THE AUDIENCE TO SUCH LEVELS. THE OPERATOR WILL MAINTAIN CONSTANT SURVEILLANCE OF THE LASER DISPLAY AND IMMEDIATELY TERMINATE EMISSION OF LASER RADIATION IN THE EVENT OF EQUIPMENT MALFUNCTION, AUDIENCE UNRULINESS OR OTHER UNSAFE CONDITIONS.
- g. ( X) THE MAXIMUM LEVELS OF LASER RADIATION (output power) WILL NOT EXCEED THOSE REQUIRED TO PERFORM THE INTENDED FUNCTION OF THE PRODUCT.
- h. (X) WRITTEN SET-UP, ALIGNMENT AND TEST PROCEDURES WILL BE PROVIDED TO AND FOLLOWED BY THE OPERATOR OR OTHER RESPONSIBLE PERSON PRIOR TO USE OF A LASER LIGHT SHOW AT EACH LOCATION. THESE STEP-BY-STEP PROCEDURES WILL BE DESIGNED SO THAT WHEN FOLLOWED, THE LASER LIGHT SHOW WILL COMPLY WITH THE CONDITIONS OF THE APPROVED VARIANCE. THE RESULTS OF THE REQUIRED TEST AND CHECKS WILL BE RECORDED AND A COPY RETAINED WITH THE LIGHT SHOW BY THE OPERATOR OR OTHER RESPONSIBLE PERSON. THE RECORD WILL INCLUDE (1) SKETCHES SHOWING THE LOCATION OF THE LASER PROJECTOR(S), OPERATOR(S), PERFORMER(S), AUDIENCE, BEAM PATHS, VIEWING SCREENS, WALLS, MIRROR BALLS, AND OTHER SURFACES THAT MAY BE STRUCK BY THE LASER BEAMS; (2) INFORMATION ON SCANNING PATTERNS, VELOCITY AND FREQUENCY; AND (3) LASER RADIATION LEVELS.
- i. (  $\times$  ) SET-UP, ALIGNMENT, CHECKOUT AND TESTING SHALL BE PERFORMED USING THE MINIMUM LASER RADIATION LEVELS NECESSARY.
- j. (X) PROCEDURES WILL BE ESTABLISHED AND FOLLOWED FOR THE WRITTEN NOTIFICATION OF APPROPRIATE FEDERAL, STATE. AND LOCAL AGENCIES OF THE ITINERARIES, OR ANY OTHER REQUIRED INFORMATION, SPECIFICALLY, THE FEDERAL AVIATION ADMINISTRATION (FAA) WILL BE NOTIFIED IN ADVANCE OF SHOWS USING PROJECTIONS INTO THE SKY. STATE AND LOCAL RADIATION CONTROL OFFICES WILL BE NOTIFIED IN ADVANCE OF ALL SHOWS WITHIN THEIR RESPECTIVE JURISDICTIONS. (Lists of Federal and State offices are available from the Bureau of Radiological Health upon request.)

esses.	14. (X) THE BUREAU OF RAD: OGICAL HEALTH WILL BE NOTIFIED OF THE INTENDED PLACE AND DATE OF ASSEMBLY (tour itinerary) OF EACH LASER LIGHT SHOW TO BE GIVEN UNDER THE APPROVED VARIANCE AS SOON AS THE PLACE AND DATE CAN BE DETERMINED BY THE APPLICANT. IN ADDITION, A DESCRIPTION OF EACH SHOW AND A LISTING OF ALL EFFECTS TO BE UTILIZED IN EACH LOCATION, IN SUFFICIENT DETAIL TO CONFIRM COMPLIANCE WITH THE CONDITIONS
commen	OF THE VARIANCE, WILL BE PROVIDED TO THE BUREAU OF RADIOLOGICAL HEALTH. THIS NOTIFICATION WILL BE SENT TO THE DIRECTOR, DIVISION OF COMPLIANCE, HFX-400, BUREAU OF RADIOLOGICAL HEALTH, 5600 FISHERS LANE, ROCKVILLE, MARYLAND 20857.
	15 REMARKS
,000E9	
4890	
STATES.	
(874)04	
(9990)	
`	
5444	
(A)	
(SERIA)	
echanics.	ч
*	
oyeta	
Sussession .	
PRINCE .	
	CERTIFICATION
	I CERTIFY that all of the above information and statements are true, complete and correct to the best of my knowledge and acknowledge
(2070)	that my variance application may be denied or my variance may be revoked if this application is found to be false, misleading or incorrect
	in any material way. I have submitted/will submit all reports required by 21 CFR 1002.10 and 1002.12 on the laser equipment and show(s). I further understand the I may be required by regulation or by the Director, Bureau of Radiological Health to supply such other information that
	may be necessary to evaluate and act on this application.
, makes	16. SIGNATURE 17. TITLE 1
	ASST Charten MCA

~